

North Carolina Commission for Controlling Crop Pests, Raleigh

Certificate of Examination of Nursery Stock

To Whom It May Concern:

This is to certify that the nursery grounds of Harlan P. Kelsey, Highlands Nursery, at Kawana, N. C., were personally inspected by me on July 25, 1899, that the growing stock gave no indication of any species of insects designated as dangerous pests by the Commission, and was apparently healthy in every respect.

No. 49.

Approved for the Commission:
S. L. PATTERSON, Chairman

COOPER CURTICE,
Acting Entomologist.

 This Certificate not good after October 1, 1900.

15th Year
1899-1900

ALL CORRESPONDENCE MUST BE ADDRESSED TO BOSTON OFFICE
LONG DISTANCE TELEPHONE
CABLE ADDRESS—KELMONT, BOSTON

Highlands Nursery

4,000 FEET ELEVATION

KELSEY'S

Hardy American Plants

and Carolina Mountain Flowers

WHOLESALE

HARLAN P. KELSEY

PROPRIETOR HIGHLANDS NURSERY
KAWANA, N. C.

From which place shipments are made

Tremont Building

BOSTON, MASS.

IMPORTANT

READ BEFORE ORDERING.

MY HARDY STOCK IS SHIPPED

direct from Highlands Nursery, in the western North Carolina mountains, from **Cranberry, N. C., freight station**. The freight rate to New York, Boston and Philadelphia is \$1.02 per 100 pounds. Special low express rates.

I claim superior packing, my export shipments reaching the most remote countries in perfect condition. *Packing charged for at cost.*

FOREIGN REMITTANCES

should be sent by International Postal Money Order, drawn on Boston, Mass., Post Office, or by New York or Boston Exchange. An American dollar is equal to a little more than four (4) English shillings, four (4) German marks, or (5) francs.

CLAIMS

must be made immediately on receipt of goods. *All shipments travel at consignee's risk.* Shipping begins about September 15 and lasts till December, and in spring from March 1 to May 15.

Growing Rhododendrons, Azaleas, Kalmias, Hemlocks, and plants of this class in wholesale quantities will continue to be my specialty. All the leading Parks, Cemeteries and Nurseries of America, as well as those abroad, have been satisfactorily supplied in the past with many hundreds of thousands of plants from my **Highlands Nursery**.

Correspondence with all Parks, Cemeteries, Nurseries and Botanical Gardens in America or abroad especially solicited.

COLLECTED PLANTS.

Nearly all plants offered in this Catalogue are heavy, nursery-grown, but can usually be supplied in strong collected stock, when desired. Hemlocks, finest seedlings only, can be furnished in lots of 10,000 to 100,000 at **VERY SPECIAL RATES**. **PLEASE WRITE**. See page 15.

My facilities are unapproached elsewhere for collecting the best stock at a low cost, and an experience of fourteen years and well-trained collectors enable me to assure buyers that orders for "collected" plants will receive the same attention and care as though I intended planting the stock myself.

Rhododendrons, Kalmias, *Leucothoe catesbaei*, *Galax aphylla*, and other broad-leaved evergreen shrubs and ground-covering plants are collected by the carload for use in producing immediate effects by massing. This subject requires special correspondence.

Plans for planting or otherwise improving Parks, Cemeteries, or other public or private grounds carefully prepared, and contracts will be made for superintending entire construction and supplying all material.

PLEASE SEE PAGE 15 FOR LIST OF COLLECTED STOCK, WITH PRICES.

4,000 FEET ELEVATION PRODUCES HARDY STOCK.

CARD.

The **HIGHLANDS NURSERY** grows exclusively **HARDY AMERICAN NATIVE PLANTS**, both ornamental and economic, being the first and still the largest nursery of the kind in this country. It has introduced and disseminated throughout this and foreign countries the following beautiful trees and plants, entirely unknown before to cultivation:

Tsuga caroliniana (Carolina Hemlock), **Azalea vaseyi**, **Vaccinium hirsutum** (Hairy Huckleberry), **Prunus alleghenensis**, **Vaccinium erythrocarpon**, **Gaylussacia ursina** (Buckberry), **Diervilla sessilifolia** (Yellow Mountain Honeysuckle), **Robinia hispida rosea**, **Leiophyllum buxifolium** var. **prostratum** (American Mountain Heath), **Rhododendron punctatum** var. **album**, **Lilium grayi**, **Shortia galacifolia**, **Polygonum cilinode** (Buckwheat Vine), **Trillium stylosum**, **Krigia dandelion** var. **montana** (Mountain Dandelion), **Aconitum reclinatum**, **Liatris spicata** var. **montana**, **Carex fraseri**, **Houstonia purpurea** var. **tenuifolia**, **Viola pedata alba**, and the delicate little mountain **Saxifraga leucanthemifolia**, and others more largely of economic interest; while it has distributed many others which were formerly but rarely seen in cultivation, including **Amelanchier botryapium** (Snowy Mespilus), **Ilex monticola** (Deciduous Holly), **Magnolia fraseri**, **Azalea arborescens**, and the "Great Flame-colored" **Azalea calendulacea**; **Clethra acuminata** (Southern Pepper-bush), **Hydrangea radiata** (Silver-leaved Hydrangea), **Leucothoe recurva**, the very rare "American Camellia" **Stuartia pentagyna**, **Vaccinium stamineum**, **Robinia viscosa**, **Xanthorrhiza apiifolia** (Yellow Root), **Abies fraseri** (the true Southern Fraser's Fir), **Pinus pungens**, **Cyrilla racemiflora**, **Hypericum aureum**, **Chelone lyoni** (Pink Snake Head), the rare and curious **Dionæa muscipula** (Venus' Fly-trap), **Helonias bullata**, **Dicentra eximea**, and the extremely fine ground-covering plant, **Galax aphylla**, as well as many others.

HARLAN P. KELSEY,

1106 Tremont Building,

BOSTON, MASS.

. . . Proprietor . . .

HIGHLANDS NURSERY

Western North Carolina

HARDY AMERICAN ORNAMENTAL DECIDUOUS TREES.

S.—Seedlings. Col.—Collected plants. All other stock nursery-grown.

	Size	Per 10	100	1,000
ACER rubrum , Scarlet Maple	6 to 12 in. . .	\$0 40	\$3 00	\$20 00
" " " "	1 to 2 ft. . .	75	5 00	40 00
" " " "	2 to 3 ft. . .	1 00	8 00	
" " " "	3 to 4 ft. . .	1 50		
" " " "	6 to 10 ft. . .	2 50		
" saccharinum , Sugar Maple	6 to 12 in. . .	35	2 00	
" " " "	1 to 2 ft. . .	40	3 00	
" " " "	2 to 3 ft. . .	75	5 00	
" " " "	3 to 4 ft. . .	1 50		
" spicatum , Mountain Maple	6 to 12 in. . .	40	3 00	
" " " "	1 to 2 ft. . .	75	5 00	
" " " "	2 to 4 ft. . .	1 50		
" striatum , Striped Maple	6 to 12 in. . .	40	3 00	20 00
" " " "	1 to 2 ft. . .	50	5 00	
" " " "	2 to 3 ft. . .	1 00	7 00	
ÆSCULUS flava , Buckeye	6 to 12 in. . .	40		
" " " "	1 to 2 ft. . .	60	5 00	
" " " "	2 to 3 ft. . .	75		
AMELANCHIER botryapium , Showy Mespilus	6 to 12 in. . .	60	5 00	40 00
" " " "	1 to 2 ft. . .	75	7 00	
ASIMINA triloba , Papaw. S. 1- and 2-year		50		
BETULA lenta , Sweet Birch	1 to 2 ft. . .	40	3 00	
" " " "	2 to 4 ft. . .	75	5 00	35 00
" lutea , Yellow Birch	1 to 2 ft. . .	40	3 00	
" " " "	2 to 4 ft. . .	75	5 00	
" nigra , River Birch	4 to 6 ft. . .	2 50		
" papyrifera , Paper Birch	12 to 18 in. . .	1 00		
CARPINUS caroliniana , Water Beech. S. 1-year		25	1 50	12 00
CASTANEA americana . S. 1-year		25	1 50	12 00
CORNUS alternifolia , Swamp Dogwood	4 to 12 in. . .	40	2 00	10 00
" " " "	1 to 2 ft. . .	75	5 00	
" " " "	2 to 3 ft. . .	1 00	8 00	
" florida , White Dogwood	6 to 12 in. . .	60	4 00	
" " " "	12 to 18 in. . .	75	5 00	
CATALPA bignonioides	4 to 6 ft. . .	50	3 00	
FRAXINUS americana , White Ash	3 to 4 ft. . .	50	4 00	
" " " "	4 to 6 ft. . .	75	5 00	
" quadrangulata , Blue Ash	12 to 18 in. . .	1 50		
" sambucifolia , Black Ash	12 to 18 in. . .	1 00	8 00	
" " " "	18 to 24 in. . .	1 50		
FAGUS ferruginea , American Beech	6 to 12 in. . .	50	4 00	30 00
GYMNOCLADUS canadensis , Kentucky Coffee Tree	1½ to 3 ft. . .	1 00	8 00	
HALESIA tetraptera , Snowdrop Tree	6 to 12 in. . .	75	6 00	
" " " "	12 to 18 in. . .	1 50		
" " " "	2 to 3 ft. . .	2 00		
" " " "	4 to 6 ft. . .	3 00		
ILEX monticola , Mountain Holly	6 to 12 in. . .	50	2 50	
" " " "	1 to 2 ft. . .	75	5 00	
" " " "	2 to 3 ft. . .	1 25		

DECIDUOUS TREES, continued.

	Size	Per 10	100	1,000
ILEX monticola , Mountain Holly	3 to 5 ft. . .	\$2 00	\$15 00	
" " " "	6 to 8 ft. . .	3 50		
LIQUIDAMBAR styraciflua , Sweet Gum	1 to 2 ft. . .	75	5 00	
" " " "	2 to 3 ft. . .	1 25		
LIRIODENDRON tulipifera , Tulip Tree	6 to 12 in. . .	50	3 00	
" " " "	1 to 2 ft. . .	75	5 00	
" " " "	2 to 3 ft. . .	1 00	7 00	
MAGNOLIA acuminata , Cucumber Tree	3 to 6 in. . .	40	2 00	
" " " "	6 to 12 in. . .	60	4 00	
" " " "	2 to 3 ft. . .	1 25		
" " " "	3 to 4 ft. . .	2 00		
" " " "	4 to 5 ft. . .	3 00		
" fraseri	3 to 6 in. . .	50	4 00	\$35 00
" "	6 to 12 in. . .	1 00	7 00	
" "	1 to 2 ft. . .	1 50		
" " S. 1-year		1 25	10 00	
" umbrella	3 to 6 in. . .	35	2 00	
" "	6 to 12 in. . .	60	4 00	
" "	1 to 2 ft. . .	1 00	8 00	
" "	2 to 3 ft. . .	1 25		
" "	3 to 4 ft. . .	2 00		
" " S. 1-year		1 25	10 00	
NEGUNDO aceroides , Ash-leaved Maple	1 to 2 ft. . .	75	5 00	
" " S. 1-year	9 to 16 in. . .	40	3 00	20 00
OSTRYA virginica , Iron Wood	6 to 12 in. . .	75	5 00	
" "	1 to 2 ft. . .	1 25	10 00	
" "	2 to 3 ft. . .	2 00		
OXYDENDRUM arboreum , Tree Andromeda	6 to 12 in. . .	75	5 00	
" "	1 to 2 ft. . .	1 00	7 00	50 00
" "	2 to 3 ft. . .	1 50	12 50	
" "	3 to 4 ft. . .	3 00		
PLATANUS occidentalis , Sycamore	1 to 2 ft. . .	50	4 00	
" "	2 to 4 ft. . .	75		
" "	4 to 6 ft. . .	1 50		
" "	6 to 12 ft. . .	2 00		
" " S. 1-year			1 25	10 00
PRUNUS pennsylvanicum , Wild Red Cherry. Col. A fine tree for producing quick shade and effect; short-lived	16 to 18 in. . .	25	1 00	7 00
" serotina , Black Cherry	6 to 12 in. . .	30	2 00	18 00
" " " "	1 to 2 ft. . .	40	3 00	
" " " " S. 1-year			1 00	8 00
TAXODIUM distichum , Southern Cypress. S. 1-year			2 00	
TILIA americana , Linden	4 to 12 in. . .	40	3 00	20 00
" "	1 to 2 ft. . .	75	5 00	40 00
QUERCUS alba , White Oak. S. 1-year			2 50	
" castanea , Chestnut Oak	6 to 12 in. . .	40	3 00	
" " " " S. 1-year			2 50	
" rubra , Red Oak	6 to 18 in. . .	1 00		
" " " " S. 1-year			3 00	
" coccinea , Scarlet Oak. S. 1-year			2 00	18 00
RHAMNUS caroliniana , Buckthorn	4 to 12 in. . .	40	3 00	15 00
ULMUS americana , American Elm	18 to 24 in. . .	75	5 00	
PYRUS americana , Mountain Ash	6 to 18 in. . .	1 00		
" " " "	2 to 3 ft. . .	2 00		

DECIDUOUS SHRUBS, continued.

	Size	Per 10	100	1,000
CALYCANTHUS floridus , Sweet Shrub	4 to 12 in. . .	\$0 40	\$3 00	\$16 00
“ “ “ “	1 to 2 ft. . .	75	5 00	
“ “ “ “	2 to 3 ft. . .	1 25	10 00	
“ “ “ “ S. 1-year		25	1 00	8 00
“ glaucus	1 to 2 ft. . .	1 25		
“ “	2 to 3 ft. . .	2 00		
“ “	3 to 4 ft. . .	3 50		
“ lævigatus	6 to 12 in. . .	75		
“ “	1 to 2 ft. . .	1 25		
“ “	2 to 3 ft. . .	2 00		
“ “	3 to 4 ft. . .	3 50		
CHIONANTHUS virginica , White Fringe	3 to 6 in. . .	35	2 50	20 00
“ “ “ “	6 to 18 in. . .	1 00		
“ “ “ “	2 to 3½ ft. . .	4 00		
CLETHRA acuminata , Southern Pepper Bush	6 to 12 in. . .	35	2 50	20 00
“ “ “ “	1 to 2 ft. . .	50	4 00	
“ “ “ “ “ clumps.	2 to 4 ft. . .	1 25	10 00	
“ “ “ “ “ clumps.	4 to 6 ft. . .	2 50	20 00	
“ alnifolia , Pepper Bush	3 to 6 in. . .	35	2 00	18 00
“ “ “ “	6 to 12 in. . .	50	4 00	
“ “ “ “ heavy.	12 to 18 in. . .	75	6 00	
CORNUS sericea , Silky Cornel	3 to 5 ft. . .	1 50		
“ stolonifera , Red-twigged Dogwood	2 to 3 ft. . .	1 25	10 00	
CORYLUS rostrata	1 to 2 ft. . .	50		
DECODON (nesæa) verticillatus	12 to 18 in. . .	75		
DIERVILLA sessilifolia (sulphur yellow)	1 to 2 ft. . .	75	4 00	
“ “	2 to 4 ft. . .	1 00	6 00	45 00
“ trifida	1 to 2 ft. . .	75	4 00	
DIRCA palustris , Leather Wood	3 to 6 in. . .	60	4 00	
“ “ “ “	6 to 18 in. . .	75	6 00	
GAYLUSSACIA frondosa	6 to 12 in. . .	75		
HAMAMELIS virginica , Witch Hazel	6 to 12 in. . .	50	3 00	
“ “	1 to 2 ft. . .	1 25	7 00	
“ “ clumps	2 to 3 ft. . .	2 50		
“ “	3 to 4 ft. . .	3 50		
“ “	4 to 6 ft. . .	5 00		
HYDRANGEA radiata , Silver Hydrangea	1½ to 2½ ft. . .	75	5 00	40 00
“ arborescens , Smooth Hydrangea.	1½ to 3 ft. . .	60	4 00	
ILEX verticillata	9 to 18 in. . .	1 00	6 00	
ITEA virginica	4 to 12 in. . .	75	4 00	
“ “	1 to 2 ft. . .	1 00	7 00	
LINDERA benzoin , Spice Bush	9 to 18 in. . .	75	4 00	
“ “	2 to 3 ft. . .	1 50		
LEUCOTHOE recurva	6 to 12 in. . .	50	3 00	
“ “	1 to 2 ft. . .	75	5 00	
MENZIESIA pilosa (globularis)	6 to 12 in. . .	50	3 00	
“ “	1 to 2 ft. . .	75	5 00	
MYRICA asplenifolia , Sweet Fern	6 to 12 in. . .	75	5 00	40 00
“ “	1 to 2 ft. . .	1 00	7 00	
“ cerifera	6 to 12 in. . .	1 25	10 00	
NEMOPANTHES canadensis	1 to 2 ft. . .	1 00	7 00	
POTENTILLA fruticosa , Shrubby Cinquefoil	12 to 18 in. . .	1 50		
PYRUS arbutifolia	6 to 12 in. . .	50	3 00	
“ “	12 to 18 in. . .	75	6 00	

DECIDUOUS SHRUBS, continued.		Size	Per 10	100	1,000
PYRUS	<i>arbutifolia</i>	1½ to 3 ft. . .	\$1 00	\$8 00	
RHUS	<i>copallina</i> , Scarlet Sumach	6 to 12 in. . .	50	3 00	\$25 00
"	"	1 to 2 ft. . .	75	5 00	
"	"	2 to 3 ft. . .	1 00	8 00	
"	<i>typhina</i> , Staghorn Sumach	6 to 12 in. . .	50	3 00	25 00
"	"	12 to 18 in. . .	75	5 00	
"	<i>glabra</i> , Smooth Sumach	12 to 18 in. . .	1 00		
RIBES	<i>cynosbati</i>	6 to 12 in. . .	75		
"	"	1 to 2 ft. . .	1 00	8 00	
"	<i>rotundifolium</i>	1 to 2 ft. . .	1 00		
ROBINIA	<i>viscosa</i>	1 to 2 ft. . .	75	5 00	
"	"	2 to 3 ft. . .	1 00	8 00	
"	"	3 to 4 ft. . .	1 50	12 00	
"	<i>hispida</i> , Sweet Pea Shrub	1 to 2 ft. . .	75	5 00	
"	<i>rosea</i>	6 to 18 in. . .	1 50		
ROSA	<i>carolina</i> , Extra stock	1 to 2 ft. . .	75	4 00	25 00
"	"	2 to 3½ ft. . .	1 00	6 00	40 00
"	<i>setigera</i> , Prairie Rose	2 to 3 ft. . .	1 25	8 00	
"	<i>lucida</i> , Dwarf Rose	6 to 12 in. . .	60	4 00	25 00
"	"	12 to 18 in. . .	75	6 00	40 00
"	<i>rugosa ferox</i>	6 to 12 in. . .	75		
"	"	12 to 18 in. . .	1 25	10 00	
"	<i>blanda</i>	1 to 2 ft. . .	1 00		
"	<i>nitida</i>	12 to 18 in. . .	1 00		
RHODORA	<i>canadensis</i>	6 to 12 in. . .	50	4 00	
"	" 1-year stock	1 to 2 ft. . .	75	6 00	
RUBUS	<i>odoratus</i> , Fl. Raspberry	1 to 2 ft. . .	50	3 00	15 00
"	<i>deliciosus</i>	1 to 2 ft. . .	1 25		
"	<i>cuneifolium</i>	6 to 12 ft. . .	1 25		
SAMBUCUS	<i>canadensis</i> , Elderberry. Col.	1 to 2 ft. . .	50	3 00	10 00
"	<i>racemosa</i>	1 to 2 ft. . .	1 00		
SPIRÆA	<i>salicifolia</i> , Meadow Sweet	3 to 4 ft. . .	75	5 00	30 00
"	"	4 to 6 ft. . .	1 25	8 00	
"	<i>dumosa</i>	12 to 18 in. . .	1 25		
"	<i>tomentosa</i> , Steeple Bush	6 to 12 in. . .	1 00	8 00	
"	<i>alba</i>	3 to 6 in. . .	2 50		
SYMPHORICARPUS	<i>racemosa</i> , Snowberry	6 to 12 in. . .	75		
"	"	12 to 18 in. . .	1 00		
"	<i>vulgaris</i>	1 to 2 ft. . .	1 00	6 00	
SYRINGA	<i>vulgaris</i>	1 to 2 ft. . .	1 00		
VACCINIUM	<i>corymbosum</i>	3 to 6 in. . .	75	5 00	
"	<i>hirsutum</i> , Hairy Huckleberry	6 to 12 in. . .	2 50		
"	<i>stamineum</i> , Dewberry. 1-year stock	6 to 12 in. . .	75	5 00	
"	" 1-year stock	12 to 18 in. . .	1 00	7 00	
VIBURNUM	<i>acerifolium</i> , Maple-leaved Arrow	6 to 12 in. . .	60	4 00	
"	" Wood	1 to 2 ft. . .	1 00	6 00	
"	"	2 to 3 ft. . .	2 00		
"	<i>cassinoides</i>	6 to 12 in. . .	60	4 00	

DECIDUOUS SHRUBS, continued.

	Size	Per 10	100	1,000
VIBURNUM cassinoides	1 to 2 ft. . .	\$1 00	\$8 00	
“ dentatum	1 to 2 ft. . .	1 00		
“ nudum	1 to 2 ft. . .	1 00		
“ opulus	12 to 18 in. . .	1 50		
XANTHORRHIZA apiifolia , Yellow Root. Excep- tionally fine undershrub for shady and moist situa- tions. The cut leaves color beautifully in autumn. We supplied many thousands which were planted in Franklin Park, Boston, this spring				
	3 to 6 in. . .	50	3 00	\$20 00
XANTHORRHIZA apiifolia	6 to 12 in. . .	75	5 00	35 00

CONIFERS AND EVERGREENS.

	Size	Per 10	100	1,000
ABIES fraseri , The true southern species	3 to 6 in. . .	\$0 35	\$2 00	\$12 00
“ “	6 to 12 in. . .	50	3 00	18 00
“ “	1 to 2 ft. . .	75	5 00	
CHAMAECYPARIS sphæroidea , White Cedar	1½ to 3 ft. . .	1 00		
“ “	3 to 4 ft. . .	2 00		
ILEX opaca , American Holly	3 to 6 in. . .	75	4 00	30 00
“ “	6 to 12 in. . .	1 25	8 00	
UNIPERUS virginiana , Red Cedar	2 to 3 ft. . .	1 50		
“ “	3 to 4 ft. . .	2 50		
MAGNOLIA grandiflora , Great Southern Magnolia	3 to 6 in. . .	2 00		
“ glauca , Sweet Bay	6 to 12 in. . .	75	5 00	
“ “	1 to 2 ft. . .	1 25	10 00	
PICEA nigra , Black Spruce	6 to 12 in. . .	40	3 00	
“ “	1 to 2 ft. . .	75		
“ “	2 to 3 ft. . .	1 25		
“ pungens , Colorado Blue	6 to 12 in. . .	2 00	15 00	
“ douglasi , Douglas' Spruce	3 to 6 in. . .	1 50	12 50	
PICEA englemannii	6 to 12 in. . .	3 00		
“ sub-alpina	6 to 12 in. . .	3 00		
PINUS ponderosa	3 to 6 in. . .	1 00	8 00	
“ pungens , Table Mountain Pine	2 to 3 ft. . .	1 50		
“ “	3 to 5 ft. . .	2 50		
“ strobus , White Pine	6 to 12 in. . .	75	4 00	30 00
“ “	1 to 2 ft. . .	1 00	8 00	65 00
“ “	2 to 3 ft. . .	1 50	12 50	
TSUGA canadensis , Hemlock	6 to 12 in. . .	40	2 50	18 00
“ “	12 to 18 in. . .	60	4 00	25 00
“ “	18 to 24 in. . .	1 00	7 00	55 00
“ “	2 to 3 ft. . .	1 75	15 00	115 00
“ “	3 to 4 ft. . .	3 50	30 00	
“ caroliniana , Carolina Hemlock	3 to 6 in. . .	75	5 00	40 00
“ “	6 to 12 in. . .	2 50	20 00	160 00
“ “	1 to 2 ft. . .	4 00		
“ “	2 to 3 ft. . .	10 00	85 00	
“ “	3 to 4 ft. . .	20 00		

This grand new Hemlock, introduced by us, possesses a distinct pyramidal growth, and attains a height of 40 to 50 feet. Its dense, dark foliage and graceful habit are only approached by some of the finer Japanese Hemlocks, which it somewhat resembles. Some fine specimens, 12 to 15 feet high, are now to be seen in the Arnold Arboretum, and are the first plants of this Hemlock ever sent out, being supplied by us to Prof. C. S. Sargent, Director, in 1884.

EVERGREEN SHRUBS.

The following (mostly broad-leaved) Shrub Evergreens are of greatest value for massing and for ground covering. All are perfectly hardy, and most of them produce a grand show of flowers. It is needless here to more than call attention to the large stock of *Rhododendrons* and *Kalmia latifolia* offered below. All are carefully transplanted and cultivated, and are clean and stocky. I have special methods of growing, gained by long experience, which insures healthy, well-ripened wood and good balls on roots, and the large quantities grown enable me to produce and sell at extraordinarily low prices. They will also be collected to order cheaply in any quantities. (See page 15.)

A specialty is made of collecting to order by the carload clumps and large plants of *Rhododendron maximum*, *Kalmia latifolia*, *Leucothoe catesbæi*, and others, which are sure to grow and produce a fine immediate effect. Cost for this service gladly estimated, and correspondence invited, particularly from Landscape Gardeners and Park and Cemetery Superintendents.

	Height	Per 10	100	1,000
ANDROMEDA nitida	3 to 9 in. . .	\$1 50	\$10 00	
“ polifolia	4 to 12 in. . .	75	5 00	\$40 00
ARCTOSTAPHYLOS uva-ursi	3 to 6 in. . .	1 25	10 00	
CASSANDRA calyculata , Leather Leaf	3 to 6 in. . .	50	4 00	30 00
“ “ “ “ heavy	6 to 12 in. . .	75	6 00	50 00
“ “ “ “	12 to 18 in. . .	1 00	8 00	
HYPERICUM aureum	6 to 12 in. . .	1 50	12 00	
“ “	1 to 2 ft. . .	2 00		
“ “	2 to 3 ft. . .	3 00		
“ densiflorum	6 to 12 in. . .	50	4 00	25 00
“ “	1 to 2 ft. . .	75	5 00	35 00
“ “ clumps.	2 to 4 ft. . .	1 00	8 00	
“ prolificum	6 to 12 in. . .	1 00	8 00	
“ “	1 to 2 ft. . .	1 50	12 00	
ILEX glabra , Ink Berry	3 to 6 in. . .	1 00	8 00	
“ “ “ “	6 to 12 in. . .	1 50	12 00	
KALMIA latifolia , Mountain Laurel	3 to 6 in. . .	50	2 50	20 00
“ “ “ “	6 to 12 in. . .	75	5 00	35 00
“ “ “ “	12 to 18 in. . .	1 50	12 50	
“ “ “ “	18 to 24 in. . .	2 50	20 00	
Clumps from 6 in. to 3 ft. high at from \$2.50 to \$8 per 10, \$15 to \$60 per 100, according to selection.				
KALMIA angustifolia , Dwarf Laurel	6 to 12 in. . .	50	4 00	20 00
“ “	1 to 2 ft. . .	75	6 00	
“ glauca , Pale Laurel	6 to 12 in. . .	1 25		
LEIOPHYLLUM buxifolium , Sand Myrtle. Heavy	6 to 12 in. . .	75	5 00	35 00
“ “ prostratum , Mountain Heath. Heavy clumps.	4 to 12 in. . .	1 00	7 00	50 00
LEUCOTHOE catesbæi	6 to 12 in. . .	50	4 00	25 00
“ “	1 to 2 ft. . .	1 00	7 00	50 00
“ “ clumps	1 to 2½ ft. . .	3 00		
LEDUM latifolium , Labrador Tea	4 to 12 in. . .	75	5 00	40 00
RHODODENDRON catawbiense , Purple Rhododendron.	3 to 6 in. . .	50	3 00	20 00
“ “	6 to 12 in. . .	1 25	8 00	60 00
“ “	12 to 18 in. . .	2 00	15 00	
“ “	18 to 24 in. . .	3 00	25 00	
Fine clumps, 1 1-2 to 3 ft. high, at \$1 to \$2 each.				
“ maximum , Great Rhododendron	3 to 6 in. . .	50	2 50	20 00
“ “	6 to 12 in. . .	1 25	8 00	60 00
“ “	12 to 18 in. . .	2 00	15 00	125 00
“ “	18 to 24 in. . .	3 00	25 00	
Some clumps, 6 in. to 3 ft. high, at 5 cts. to \$2 each, \$4 to \$15 per 10.				
“ punctatum , Pink Rhododendron	3 to 6 in. . .	75	6 00	
“ “	6 to 12 in. . .	1 50	12 00	
TAXUS canadensis , Yew	6 to 12 in. . .	75	6 00	

VINES, CLIMBERS AND CREEPERS.

Many plants here offered are of especial merit for ground covering, and, where needed in very large quantities, will be supplied at very low prices. *Ampelopsis quinquefolia* var. *englemanni*, *Lonicera sempervirens*, *L. halleana*, *L. japonica*, *Polygonum cilinode*, *Celastrus scandens*, *Rubus hispidus* and *Vitis species* are particularly recommended. In soils adapted to its growth (peaty or loamy, and preferably moist), *Galax aphylla* makes a hardy evergreen undershrub covering of lasting beauty, being a rich green in summer and coloring vivid bronze tints in autumn and winter, an effect which must be seen to be appreciated.

	Per 10	100	1,000
AMPELOPSIS quinquefolia var. englemanni . Virginia Creeper. A			
variety that clings like ivy. Strong plants. 6 to 12 in.	75	\$4 00	\$35 00
quinquefolia . 1 to 2 ft.	1 00	7 00	60 00
Strong Col. plants, \$15 per 1,000.			
BIGNONIA radicans . Strong. 1 to 2 ft.	40	3 00	15 00
CELASTRUS scandens , Bittersweet. Strong	75	5 00	
" " " Heavier	1 00	8 00	
CLEMATIS virginiana . Heavy	75	4 00	35 00
Small, strong plants, Col., \$10 per 1,000.			
" coccinea	1 25		
COCCULUS carolinus	75	5 00	
DIOSCOREA villosa	40	3 00	
EPIGÆA repens , Trailing Arbutus			
" " " Large. Col. clumps	75	5 00	
GALAX aphylla . Established clumps	75	6 00	40 00
" " Col. clumps	50	3 00	12 50
GAULTHERIA procumbens , Wintergreen. Col. clumps	30	2 00	15 00
HOUSTONIA serpyllifolia , Bluets. Col. clumps	30	2 00	15 00
HUMULUS lupulus , Hop	75	5 00	30 00
IPOMÆA pandurata , Moonflower	1 00		
LONICERA halleana , Hall's Honeysuckle. Strong	1 00	7 00	60 00
" " " Smaller	50	4 00	
" japonica	50	4 00	
" parviflora . Can be trained as a standard weeper	1 00	8 00	
" sempervirens , Scarlet Honeysuckle. Especially adapted			
to ground covering	50	4 00	35 00
LYCOPODIUM , in variety. Peaty soils. Col.	50		
MENISPERMUM canadense , Moonseed	50	4 00	20 00
MITCHELLA repens , Partridge Vine. Col. clumps	30	2 50	15 00
NEPETA glechoma , Ground Ivy. Col.; strong	30	2 00	10 00
PHLOX reptans , Trailing Phlox. Col.	30	2 50	12 50
" subulata . Strong	50	4 00	20 00
POLYGONUM cilinode . A very quick covering	30	2 00	12 50
RUBUS hispidus . One of the best for all situations. Leaves color			
beautifully. Col.	30	2 00	10 00
" trivialis . Col.	40	2 50	15 00
VERONICA serpyllifolia and officinalis . Col. clumps	30	2 00	10 00
VINCA minor , Periwinkle. Strong	50	4 00	20 00
VITIS æstivalis . S	75	5 00	
" cordifolia , Frost Grape. 6 to 12 in.	1 00	7 00	
" labrusca . Fox Grape. 6 to 12 in.	1 00	7 00	
" monticola . S.	75	5 00	
" riparia . S	75	5 00	40 00
WISTARIA frutescens . 4 to 12 in.	75	5 00	
" " 1 to 2 ft.	1 00		

NATIVE FERNS.

	Per 10	100	1,000
<i>Adiantum pedatum</i> , Maiden-hair Fern	\$1 00	\$7 00	
<i>Aspidium acrostichoides</i> , Dagger Fern	75	5 00	\$30 00
“ <i>angustifolium</i>	2 00		
“ <i>cristatum clintonianum</i>	2 50		
“ <i>goldianum</i>	2 50		
“ <i>marginale</i> , Shield Fern	75	5 00	30 00
“ <i>spinulosum</i> , Wood Fern	75	5 00	30 00
“ <i>thelypteris</i>	2 00		
<i>Asplenium fœmina</i> var. <i>milchauxii</i>	2 00		
<i>Botrychium lunarioides</i> , Moonwort	60	4 00	

Most of the above Ferns will be collected to order at \$10 per 1,000, excepting the *Osmundas*, which are very heavy, at \$15 per 1,000. Only strong clumps will be sent. All the above are nursery grown, except where marked Col.

	Per 10	100	1,000
<i>Botrychium</i> var. <i>dissectum</i>	\$0 60	\$4 00	
“ <i>virginicum</i>	60	4 00	
<i>Camptosorus rhizophyllus</i> , Walking-leaf Fern	60	4 00	
<i>Cystopteris bulbifera</i>	1 00		
<i>Dicksonia punctilobula</i> , Col. clumps	50	2 00	\$10 00
<i>Lygodium palmatum</i>	1 00		
<i>Onoclea sensibilis</i>	1 00	5 00	
<i>Osmunda cinnamomea</i> , Cinnamon Fern	75	5 00	35 00
“ <i>claytoniana</i>	75	5 00	35 00
“ <i>regalis</i> , Royal Fern	75	5 00	35 00
<i>Phegopteris hexagonoptera</i>	75		
<i>Polypodium vulgare</i> , Polypody, Col.	50	2 00	10 00
<i>Pteris aquilina</i> , Brake, Col.	50	2 00	10 00

AQUATICS AND BOG PLANTS.

	Per 10	100	1,000
<i>Acorus calamus</i> , Sweet Flag	\$0 60	\$3 00	
<i>Aster puniceus</i> , Swamp Aster	50	2 00	\$10 00
<i>Chelone glabra alba</i> , White. “ <i>lyoni</i> , Snake Head. Pink	60	3 00	20 00
<i>Dionæa muscipula</i> , Venus' Fly-trap	60	3 50	25 00
<i>Drosera filiformis</i> , Thread-leaved	1 00		
“ <i>rotundifolia</i> , Sundew	50	2 00	8 00
<i>Helonias bullata</i> , Extra fine Clumps	60	3 00	20 00
<i>Ligusticum actæfolium</i>	75	4 00	
<i>Nuphar sagittifolia</i> , Very rare	4 00	30 00	
<i>Nymphæa odorata</i> , White Water Lily	1 00	5 00	35 00

	Per 10	100	1,000
<i>Nymphæa odorata rosea</i> , Pink	\$5 00	\$40 00	
<i>Orontium aquaticum</i> , Golden Club	75	4 00	
<i>Sagittaria sagittifolia</i> , Arrow Head	30	2 00	\$8 00
“ <i>variabilis</i>	30	2 00	8 00
<i>Sarracenia flava</i> , Trumpets	1 00	8 00	
“ <i>rubra</i>	2 00		
“ <i>purpurea</i> , Pitcher Plant	75	5 00	
“ <i>variolaris</i>	1 00	8 00	60 00
<i>Sparganium ramosum</i> , Bur Reed	50	3 00	
<i>Vaccinium macrocarpon</i> , Cranberry	50	4 00	
<i>Vaccinium macrocarpon</i> , Col.	35	2 00	6 00
<i>Typha latifolia</i> , Cat-tails	50	2 50	

ORCHIDS.

	Per 10	100	1,000
<i>Calopogon pulchellus</i> , Purple; very fine	\$0 50	\$3 50	
<i>Cypripedium acaule</i> , Purple Lady-slipper. Col.	50	4 00	\$30 00
<i>Cypripedium pubescens</i> , Yellow Lady-slipper. Col.	50	4 00	30 00
<i>Cypripedium spectabile</i> , White, pink tinged	2 00	15 00	

	Per 10	100	1,000
<i>Goodyera pubescens</i> , Rattlesnake Plantain. Col.	\$0 50	\$4 00	
<i>Habenaria ciliaris</i> , Yellow Fringe	75	4 00	\$30 00
“ <i>orbiculata</i> , Col.	75	5 00	
“ <i>psycodes</i> , Purple Fringe	1 00		
<i>Orchis spectabilis</i> , Showy Orchis. Col.	1 00	8 00	

LILIES AND BULBOUS PLANTS.

	Per 10	100	1,000
<i>Allium tricoccum</i> , White	\$0 50	\$2 00	
“ <i>cernuum</i> , Pink	1 00		
<i>Arisæma triphylla</i> , Jack-in-the-Pulpit	50	3 00	
<i>Amianthium muscatoxicum</i> , “ <i>angustifolium</i>	50	2 50	15 00
<i>Convallaria majalis</i> , Lily-of-the-Valley, native form. Col.	50	2 50	15 00
<i>Dicentra cucullaria</i> , Squirrel Corn. Col.	50	2 00	
“ <i>eximia</i> , Rare; finest variety	1 00	8 00	
“ <i>spectabile</i>	1 50	12 00	
<i>Erythronium americanum</i> , Dog's-tooth Violet. Col.	25	1 00	7 00
<i>Lilium canadense</i>	75	5 00	40 00
“ <i>grayi</i> , 1st size	2 00	12 50	80 00

	Per 10	100	1,000
<i>Lilium grayi</i> , 2nd size, small	\$1 00	\$7 00	\$50 00
“ <i>philadelphicum</i>	1 00	7 00	
“ <i>superbum</i> , Turk's-Cap Lily, 1st size	75	4 00	30 00
“ <i>superbum</i> , Turk's-Cap Lily, 2nd size	50	2 50	20 00
“ <i>superbum</i> , Turk's-Cap Lily, 3rd size	25	1 50	10 00
<i>Oxalis acetosella</i> , Col.	25	1 00	7 00
<i>Trillium erectum</i> , Purple	30	2 00	15 00
“ <i>erythrocarpum</i> , Painted Trillium	50	2 50	
“ <i>grandiflorum</i> , Great White Trillium	25	1 25	8 00
“ <i>stylosum</i> , Nodding Trillium	2 00	15 00	
“ <i>sessile</i> , var. <i>californicum</i>	1 00	8 00	


HERBACEOUS PERENNIALS.

A fine stock of strong nursery-grown clumps, especially suitable for borders and shrubbery planting. Assortments, our selection, at \$4 per 100, \$25 per 1,000 including the best sorts.

	Per 10	100	1,000
<i>Aconitum reclinatum</i> . Very rare	\$1 25		
" <i>uncinatum</i> , Purple. Monkshood	75	\$5 00	\$35 00
<i>Actæa alba</i> , Baneberry	50	3 00	20 00
<i>Agave virginica</i> , Aloe. Tropical effect	35	75	
<i>Amsonia tabernæmontana</i>	1 00		
<i>Angelica curtisii</i>	50	3 00	15 00
<i>Aquilegia canadense</i> , Columbine	75	5 00	
<i>Aralia nudicaulis</i> , Sarsaparilla	50	2 00	
" <i>racemosa</i>	75	4 00	
<i>Aralia quinquefolia</i> , Ginseng. The rare and valuable root exported to China, and commanding \$2.50 to \$6 per pound when dried. Can be grown successfully, and is being largely planted by many throughout the states. Circular giving full information, free	50	3 00	25 00
Larger size	1 00	5 00	40 00
<i>Aralia trifolium</i> . Round Ginseng	1 00	6 00	
<i>Archangelica hirsuta</i>	60	3 00	
<i>Asarum shuttleworthii</i> , Heart-leaf	50	3 00	
<i>Asclepias incarnata</i> , var. <i>pulchra</i>	75	4 00	
<i>Ascyrum crux-andræ</i> , St. Peter's Wort. Col.	60	3 00	
<i>Aster cordifolius</i> , Tall Purple. Moist places	50	3 00	10 00
" <i>puniceus</i>	50	2 00	10 00
" <i>mixture</i>	50	2 00	10 00
<i>Baptisia australis</i> , Purple	1 50		
" <i>tinctoria</i> . Bright yellow	75	4 00	
<i>Boykinia aconitifolia</i>	50	3 00	
<i>Brunella vulgaris</i> . Col.	50	2 00	
<i>Callirhoe involucrata</i>	1 50		
<i>Campanula divaricata</i> , Harebells. Clumps	1 00		
<i>Carex fraseri</i> . Rare	74	5 00	40 00
<i>Caulophyllum thalictroides</i>	60	4 00	
<i>Collinsonia</i> (?)	50	3 00	
<i>Chamaelirium carolinianum</i> , Devil's Bit	50	3 00	25 00
<i>Cimicifuga racemosa</i>	50	3 00	
" <i>americana</i>	75	4 00	
<i>Clintonia umbellata</i>	40	2 00	
" <i>borealis</i>	40	2 00	
<i>Coreopsis lanceolata</i>	75	4 00	
" <i>trichosperma</i> . Col.	75	3 00	
" <i>verticillata</i>	75	4 00	
<i>Corydalis glauca</i> . Col.	50	2 00	
<i>Diphylleia cymosa</i>	50	3 00	20 00
<i>Disporum lanuginosum</i>	50	3 00	
<i>Eupatorium ageratoides</i>	30	2 00	12 00
" <i>perfoliatum</i>	50		
" <i>purpureum</i>	50	3 00	20 00
<i>Euphorbia corollata</i>	50	3 00	
<i>Galax aphylla</i> , established	75	5 00	35 00
<i>Gentiana andrewsii</i>	50	3 00	
<i>Geum radiatum</i>	75	4 00	
<i>Gillenia stipulacea</i>	\$0 50	\$2 00	\$15 00
<i>Helenium autumnale</i> . Clumps.	50	3 00	
<i>Helianthus scaberrimus</i>	60	3 00	
<i>Hepatica acutiloba</i>	40	2 00	12 50
" <i>triloba</i>	75	4 00	
<i>Heuchera americana</i>	75	4 00	
" <i>villosa</i>	60	3 00	
" <i>pubescens</i>	75	4 00	
<i>Hibiscus</i> , Crimson Eye	1 00		
<i>Hieracium venosum</i>	50	3 00	
<i>Houstonia purpurea</i>	50	3 00	
" " var. <i>ten-uifolia</i>	1 00	8 00	
<i>Iris cristata</i> . Clumps. Strong.	1 00	5 00	35 00
" " Col.	40	2 00	10 00
" <i>verna</i> . Clumps.	1 00	5 00	35 00
" " Col.	40	2 00	10 00
<i>Krigia dandelion</i> , var. <i>montana</i> . New	1 00	5 00	
<i>Liatris spicata</i> , var. <i>montana</i> . New	75	4 00	
<i>Lobelia cardinalis</i> , Cardinal Flower	50	3 00	
" <i>syphilitica</i> . Blue. Col.	75	4 00	
<i>Lysimachia ciliata</i> . Clumps.	50	3 00	
" <i>quadrifolia</i> . Clumps.	50	3 00	
<i>Melanthium virginicum</i>	1 00	8 00	
<i>Mertensia virginica</i>	1 00		
<i>Mimulus ringens</i> . Col. Clumps.	50	2 00	12 00
<i>Monarda didyma</i> , var. <i>coccinea</i> . Strong	1 00	8 00	
<i>Phlox maculata</i>	75	5 00	
" <i>pilosa</i>	75		
" <i>subulata</i>	1 00		
<i>Physostegia virginiana</i> . Cl'ps.	75	5 00	
<i>Podophyllum peltatum</i>	50	3 00	
<i>Polygonatum biflorum</i>	60	3 00	
" <i>giganteum</i>	75	5 00	
<i>Pyrola rotundifolia</i> . Col.	50	3 00	
<i>Rudbeckia fulgida</i> . Col.	50	2 00	
<i>Sanguinaria canadensis</i>	75	5 00	
" " Col.	50	2 00	8 00
<i>Saxifraga erosa</i> . Col.	60	3 00	
" <i>leucanthemifolia</i>	75	4 00	
<i>Scrophularia nodosa</i>	60	3 00	
<i>Sedum telephioides</i> . Clumps.	1 00		
" <i>telephium</i>	1 00		
" <i>ternatum</i> . Col.	50	2 00	8 00
<i>Shortia galacifolia</i> . Established clumps	1 00	5 00	35 00
<i>Shortia galacifolia</i> . Lighter, transplanted	50	3 00	20 00
<i>Silene stellata</i>	50	3 00	
" <i>virginica</i> , Fire Pink.	75	5 00	30 00
" " Col.	40	2 00	15 00
<i>Smilacina bifolia</i> . Col.	40	2 00	10 00
" <i>racemosa</i>	50	3 00	20 00
<i>Solidago</i> . Dwarf Alpine variety.	1 00	6 00	
" <i>odora</i>	75	4 00	
" in variety. Col.	50	2 00	10 00
<i>Stenanthium angustifolium</i>	1 00	7 00	
<i>Spiræa aruncus</i> . Strong	50	4 00	
<i>Thalictrum dioicum</i>	60	2 00	

HERBACEOUS PERENNIALS, continued.

	Per 10	100	1,000		Per 10	100	1,000
<i>Thaspium aureum</i> , var. <i>trifoliatum</i> . Strong	\$0 50	\$3 00		<i>Viola cucullata</i> , var. <i>nana</i> , with cut leaves	\$1 00		
<i>Thermopsis caroliniana</i>	1 25			“ <i>hastata</i>	50		
“ “ 1-yr.	75	5 00	\$40 00	“ <i>palmata</i> . Clumps	75		
<i>Tradescantia pilosa</i>	50	3 00	20 00	“ <i>palmata</i> , var. <i>laciniata</i>	1 00		
“ <i>virginica alba</i>	75	5 00		“ <i>pedata</i>	75	\$4 00	\$35 00
<i>Trautvetteria palmata</i>	60	4 00		“ “ var. <i>bicolor</i>	1 00	8 00	
<i>Triosteum perfoliatum</i>	50	3 00		“ <i>rotundifolia</i>	50	2 00	
<i>Uvularia perfoliatum</i>	50	3 00	15 00	<i>Yucca filamentosa</i> . Clumps	60	4 00	30 00
“ <i>sessilifolia</i>	50	3 00		“ “ Small; 1-yr.	40	2 00	10 00
<i>Veratrum viride</i>	50	3 00	15 00	“ <i>recurvifolia</i> . Clumps	60	4 00	30 00
<i>Veronica virginica</i> . Clumps	50	4 00		“ “ Small; 1-yr.	40	2 00	10 00
<i>Viola canadensis</i>	75	4 00		<i>Xerophyllum asphodeloides</i> . Col. clumps	50	2 00	
“ <i>cucullata</i> . Clumps	50	3 00	15 00	<i>Zigadenus leimanthoides</i>	60	3 00	
“ “ var. <i>nana</i>	1 00			“ <i>elegans</i>	1 00		



(Copyright, 1893, by Harlan P. Kelsey)

MOUNTAIN LAUREL—*Kalmia latifolia*

COLLECTED STOCK TO ORDER AT SPECIAL PRICES,

For large plantings, lining out in nursery, etc.

All seedlings except where otherwise stated . .

DECIDUOUS.	Size.	100	1,000	10,000
ACER striatum, Striped Maple	6 to 12 in. . .	\$1 50	\$7 00	\$50 00
“ rubrum, Scarlet Maple	6 to 12 in. . .	1 50	8 00	60 00
“ saccharinum, Sugar Maple	6 to 18 in. . .	1 00	5 00	40 00
“ spicatum, Mountain Maple	6 to 12 in. . .	1 50	7 00	
BETULA lenta, Black Benta	6 to 18 in. . .	1 00	5 00	40 00
“ lutea, Yellow Birch	6 to 18 in. . .	1 00	5 00	40 00
CORNUS alternifolia, Swamp Dogwood,	6 to 12 in. . .	1 00	6 00	
FRAXINUS Americana, White Ash	6 to 12 in. . .	1 00	5 00	35 00
PRUNUS pennsylvanicum, Wild Cherry	6 to 12 in. . .	1 00	7 00	
CLETHRA acuminata, Southern Pepper Bush.	6 to 12 in. . .	1 50	8 00	
HVDRANGEA arborescens, Wild Hydrangea. Fine undershrub. Dug plants	6 to 12 in. . .	1 50	10 00	75 00
RUBUS odoratus, Flowering Raspberry. Dug plants	6 to 12 in. . .	1 00	8 00	60 00
SAMBUCUS canadensis, White Elder. Dug plants	6 to 12 in. . .	1 00	8 00	60 00
VIBURNUM cassinoides.	3 to 9 in. . .	1 00	6 00	40 00
XANTHORRHIZA apiifolia, Yellow Root. Dug plants	4 to 12 in. . .	1 50	8 00	60 00
AZALEA viscosa, Dwarf White Azalea. Dug plants. 4 to 12 in.	4 to 12 in. . .	1 00	7 00	50 00
“ calendulacea, Flame-colored Azalea. Dug plants	4 to 12 in. . .	2 00	25 00	125 00
EVERGREENS.				
ABIES fraseri, Fraser's Southern Fir	6 to 12 in. . .	1 25	8 00	50 00
ILEX opaca, American Holly. Dug plants, cut back. Will grow	4 to 12 in. . .	3 00	20 00	125 00
PICEA nigra, Black Spruce.	6 to 12 in. . .	1 00	5 00	30 00
PINUS strobus, White Pine.	6 to 12 in. . .	1 00	6 00	40 00
TSUGA canadensis, Hemlock	3 to 6 in. . .	50	2 50	18 00
“ “ “	6 to 12 in. . .	75	5 00	30 00
“ “ “	1 to 2 ft. . .	1 00	8 00	70 00
“ “ “ Very fine.	2 to 3 ft. . .	3 00	20 00	

I have very exceptional facilities for collecting the finest seedlings of Hemlock, as noted above, from 3 inches to 2 feet in height, at a remarkably low figure, and have shipped hundreds of thousands the past two seasons, which have given the greatest satisfaction. Nurserymen can hardly stock up too heavily on Hemlocks, as they constantly increase in value in the nursery row, and there is almost unlimited demand for them in all sizes at good prices. Write for very special estimate on 50,000 to 100,000 lots, collected to order.

	Size	100	1,000	10,000
HYPERICUM densiflorum	6 to 12 in. . .	\$1 50	\$10 00	\$75 00
KALMIA latifolia , Mountain Laurel	3 to 6 in. . .	1 00	7 00	55 00
“ “ “	6 to 12 in. . .	1 75	15 00	125 00
LEUCOTHÖE catesbæi	12 to 18 in. . .	6 00	45 00	
“ “ Dug plants.	6 to 18 in. . .	1 75	15 00	125 00
Heavier stock at special prices by the car load.				
LEIOPHYLLUM buxifolium . Very fine	4 to 12 in. . .	1 00	7 00	60 00
RHODODENDRON maximum	3 to 6 in. . .	1 00	7 00	55 00
“ “	6 to 12 in. . .	1 75	15 00	125 00
“ “	12 to 18 in. . .	6 00	45 00	

AS TO HARDINESS.

The location of **HIGHLANDS NURSERY**, at the summit of the Blue Ridge, in western North Carolina, 3,800 feet among the clouds, and under the shadow of the great Grandfather mountain (the highest peak in the Blue Ridge range), insures long, cool summers and cold winters, which are very favorable to the growth of these beautiful native ornamentals, producing a perfectly **hardy** stock—a most important point with northern planters. The thermometer often reaches an extreme of 10° to 15° below zero, and every few years will go as low as 20° or more below.

The **Azaleas**, **Rhododendrons**, and most of the **ericaceous** plants herein offered thrive best in rich, peaty soils and partially shaded situations. **A good soil can be made** by excavating 2 to 3 feet of the surface, and filling with equal parts of good leaf-mold or other decayed vegetable matter and surface loam, with one-tenth or more of sharp sand. Swamp muck or field sod may be used. Mulching (spent tan, moss, leaves, hay, etc.), is always useful, and is necessary where the ground is very dry. Lime, **in large quantities**, in any form is very damaging to **Rhododendrons**, **Azaleas**, and **ericaceous** plants in general. As a rule, give the plants a deep soil, with plenty of well-decayed vegetable food and good drainage, and the result will be satisfactory. **Always give Rhododendrons a northern exposure where possible.**

NOTE VERY SPECIAL STOCK OF THE FOLLOWING:

	Page
AZALEAS, in variety	6
HYDRANGEA RADIATA	7
XANTHORRHIZA APIIFOLIA	9
ROSA CAROLINA	8
HEMLOCKS	9, 15
RHODODENDRONS	10
KALMIAS	10
LEIOPHYLLUM PROSTRATUM	10
AMPELOPSIS ENGLEMANNI	11
CLEMATIS VIRGINIANA	11
NATIVE FERNS	12
LILIUM SUPERBUM	12
YUCCAS	14
COLLECTED STOCK AT SPECIAL PRICES	15